	Hits	Search Text	DB	Time stamp
29	4	(get adj command) same intercept\$3	USPAT;	2004/07/19
			US-PGPUB	07:55
so	0	command with intercept\$3 with firs with second with	USPAT;	2004/07/19
		identifier	US-PGPUB	07:57
31	1	command with intercept\$3 with first with second with	USPAT;	2004/07/19
		identifier	US-PGPUB	07:59
32	1229	command with intercept\$3	USPAT;	2004/07/19
			US-PGPUB	07:59
3	16	command with intercept\$3 with identifier	USPAT;	2004/07/19
			US-PGPUB	08:02
34	42	(intercept\$3 with identifier) and (modif\$3 with identifier)	USPAT;	2004/07/19
ł			US-PGPUB	08:20
35	61	( intercept\$3 with query) and (modif\$3 with query)	USPAT;	2004/07/19
			US-PGPUB	08:29
36	0	indentifier with modif\$3 with command	USPAT;	2004/07/19
			US-PGPUB	08:30
37	0	indentifier with modif\$5 with command	USPAT;	2004/07/19
_	_		US-PGPUB	08:30
8	8	indentifier with command	USPAT;	2004/07/19
	_	40 13 131 14 110 133	US-PGPUB	08:30
13	26	(intercept\$3 with variable) and (modify with variable)	USPAT;	2004/07/19
			US-PGPUB	08:51
4	1	(snmp and identifier and intercept\$3).ab.	USPAT;	2004/07/19
İ			US-PGPUB	08:51
15	0	(snmp and identifier and trap\$3).ab.	USPAT;	2004/07/19
			US-PGPUB	08:51
ļ6	0	(snmp and identifier and trap\$4).ab.	USPAT;	2004/07/19
			US-PGPUB	08:51
17	17	(snmp and identifier).ab.	USPAT;	2004/07/19
_		71 71 71 71 71 71	US-PGPUB	09:02
ļ8	0	snmp same (intercept\$3 adj3 object) same (modif\$3 adj3	USPAT;	2004/07/19
		object)	US-PGPUB	09:03
19	0	snmp and (intercept\$3 adj3 object) same (modif\$3 adj3	USPAT;	2004/07/19
		object)	US-PGPUB	09:04
	2766	intercept\$3 with layer	USPAT;	2004/06/03
			US-PGPUB	14:39
	922	intercept\$3 near2 layer	USPAT;	2004/06/02
	_	:	US-PGPUB	15:47
	6	interceptor adj layer	USPAT; US-PGPUB	2004/06/02
		(interpretate and lever) and (massive with common devith		15:47
	О	(intercept\$3 near2 layer) and (receiv\$3 with command with	USPAT;	2004/06/02
		idten\$5)	US-PGPUB	15:48
	4	(intercept\$3 near2 layer) and (receiv\$3 with command with	USPAT; US-PGPUB	2004/06/02
	-	ident\$5) (intercept\$3 with command with identi\$5 with multiple).ab.		15:50
	1	or (intercept\$3 with command with identi\$5 with multiple).ab.	USPAT;	2004/06/02
		plurality).ab. or (intercept\$3 with instruct\$3 with ident\$5	US-PGPUB	15:52
		with many).ab.		
	154	(command with identi\$5 with multiple).ab. or (command	USPAT;	2004/06/02
	154	with identi\$5 with plurality).ab. or (instruct\$3 with ident\$5	US-PGPUB	1 '' '
		with many).ab.	OB-FOLOB	15:53
		with many).ab.   ( command with identi\$5 with multiple with value).ab. or (	USPAT;	2004/06/02
	4	command with identi\$5 with plurality with value).ab. or (	US-PGPUB	
		instruct\$3 with ident\$5 with many with value).ab.	03-10101	15:54
	00000	oid.ab. or (object identifier).ab.	USPAT;	2004/06/02
	99232	old ab. or (object identifier).ab.		
	00005	(object identifier) ab		15:55 2004/06/02
	99225	(object identifier), au.		
	0650	(chiert identifier) sh and intercents	l .	
	3652	(object identifier).ab. and interceps3		2004/06/02
	400=	(chiest identifier) should intercent		
	4227	(object identifier).ab. and intercep\$4		2004/06/02
	_	(abject adjidentifier) ab and intercords ab		
	2	tobject adj identiner).ab. and intercep\$4.ab.		2004/06/03
			L OO-LOLOR	1 00:00
l	o	(clarif\$7 with user )same (wireless with request\$3)	USPAT;	2004/06/03
	99225 3652 4227 2	(object identifier).ab.  (object identifier).ab. and intercep\$3  (object identifier).ab. and intercep\$4  (object adj identifier).ab. and intercep\$4.ab.	US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB USPAT; US-PGPUB	15:56 2004/ 15:56 2004/ 15:56

-	18	(snmp) and interceptor	USPAT;	2004/06/03
		"00070070070	US-PGPUB	15:00
-	1	"20010052019"	USPAT; US-PGPUB	2004/06/03
1_	1	"20020156914"	USPAT;	14:54 2004/06/03
-	1	20020130914	US-PGPUB	14:56
_	2980	mib or (management near information near base)	USPAT;	2004/06/03
		01 (	US-PGPUB	15:01
-	1597	(mib or (management near information near base)) and snmp	USPAT;	2004/06/03
			US-PGPUB	15:01
-	64	((mib or (management near information near base)) and	USPAT;	2004/06/03
		snmp and (get adj command) ) and identifier	US-PGPUB	15:53
-	29	((mib or (management near information near base)) and	USPAT;	2004/06/03
		snmp and (get adj command) ) and( object near identifier)	US-PGPUB	15:42
-	6	((mib or (management near information near base)) and	USPAT;	2004/06/03
		snmp and (get adj command) ) and (object near identifier)	US-PGPUB	15:45
1	200	and intercep\$4 ((mib or (management near information near base)) and	USPAT;	2004/06/03
-	29	snmp and (get adj command) ) and( object near identifier)	US-PGPUB	15:45
1_	12	((mib or (management near information near base)) and	USPAT;	2004/06/03
		snmp and (get adj command) ) and identifier and get-next	US-PGPUB	15:53
-	1063	(application with layer) and (intercept\$3with layer) and	USPAT;	2004/06/07
		(object\$1 with identifier\$1)	US-PGPUB	10:14
-	16	(application with layer) and (intercept\$3 with layer) and	USPAT;	2004/06/07 11:11
		(object\$1 with identifier\$1)	US-PGPUB	, .
-	1	(application with layer) and (intercept\$3 with layer) and	USPAT;	2004/06/07
		(object\$1 with identifier\$1) and snmp	US-PGPUB	10:15
-	10	(command\$3 with modif\$3) and (get same get-next) and	USPAT;	2004/06/07
	0.5	snmp	US-PGPUB	11:48
-	82	(get with get-next)	USPAT;	2004/06/07
	386	(command\$3 near2 modif\$4) and (application same layer)	US-PGPUB USPAT;	13:27 2004/06/07
_	360	(command\$3 hear2 modn\$4) and (application same layer)	US-PGPUB	13:28
_	47	(command\$3 near2 modif\$4) and (application same layer)	USPAT;	2004/06/07
	7/	and snmp	US-PGPUB	13:30
_	6	(command\$3 near2 modif\$4) same layer same application	USPAT;	2004/06/07
			US-PGPUB	13:38
-	1005	(command\$3 near2 modif\$4) and layer	USPAT;	2004/06/07
			US-PGPUB	13:38
-	83	(command\$3 near2 modif\$4) and layer and snmp	USPAT;	2004/06/07
		1'66 . '41 '11 . 4'65	US-PGPUB	13:47
-	514	modif\$4 with identi\$5 with command\$3	USPAT; US-PGPUB	2004/06/07
	50	modif\$4 with identi\$5 with command\$3 with first with	USPAT;	13:48 2004/06/07
1	52	second	US-PGPUB	13:58
_	10	(first near2 command) same (plural\$3 near3 identi\$4) same	USPAT;	2004/06/07
1		(second near 2 command)	US-PGPUB	14:09
-	О	(first near2 command) same (many\$3 near3 identi\$4) same	USPAT;	2004/06/07
		(second near2 command)	US-PGPUB	14:09
-	0	( first near2 command) same (many near3 identi\$4) same	USPAT;	2004/06/07
		(second near2 command)	US-PGPUB	14:09
-	0	(first near2 command) same (multiple near3 identi\$4) same	USPAT;	2004/06/07
		(second near2 command)	US-PGPUB	14:10
-	6434	( first near2 command) same (second near2 command)	USPAT;	2004/06/07
	10	( first near2 command) same (second near2 command) same	US-PGPUB USPAT;	14:10 2004/06/07
-	12	identifier same value	US-PGPUB	1
_	135	(first near2 command) and (second near2 command) and	USPAT;	14:14   2004/06/07
	135	(intercept\$3 with command\$3)	US-PGPUB	14:15
-	93	(first near2 command) and (second near2 command) and	USPAT;	2004/06/07
	30	(intercept\$3 near3 command\$3)	US-PGPUB	15:18
-	685	(intercept\$3 near3 command\$3)	USPAT;	2004/06/07
			US-PGPUB	15:07
-	0	(intercept\$3 near3 command\$3) same (object with	USPAT;	2004/06/07
		identifier)	US-PGPUB	15:08
-	9	(intercept\$3 near3 command\$3) and (object with identifier)	USPAT;	2004/06/07
			US-PGPUB	15:11

-	29	(intercept\$3 near3 command\$3) with modif\$4	USPAT; US-PGPUB	2004/06/07
_	22	(intercept\$3 near3 command\$3 ) with chang\$3	USPAT;	15:14 2004/06/07
			US-PGPUB	15:16
-	12	(first near3 identifier) and (second near3 identifier) and	USPAT;	2004/06/07
	605	(intercept\$3 near3 command\$3)	US-PGPUB USPAT;	15:34
	685	(intercept\$3 near3 command\$3)	US-PGPUB	2004/06/07 15:40
_	6	(intercept\$3 near3 command\$3) and (next near2 identifier)	USPAT;	2004/06/07
!			US-PGPUB	15:42
-	1	(intercept\$3 near3 command\$3) and get and get-next	USPAT;	2004/06/07
		(intercept\$3 near3 command\$3) and (multiple near3	US-PGPUB	15:45
-	55	command)	USPAT; US-PGPUB	2004/06/07 16:09
_	68	(intercept\$3 near3 command\$3) and (modif\$3 near3	USPAT;	2004/06/07
		command)	US-PGPUB	16:11
-	488	(intercept\$3 near3 request\$3) and (first near3 request\$3)	USPAT;	2004/06/07
	(-	and (second near3 request\$3)	US-PGPUB	16:12
-	65	(intercept\$3 near3 request\$3) and (first near3 request\$3) and (second near3 request\$3) and (object near3 identifier)	USPAT; US-PGPUB	2004/06/07 16:21
_	315	(intercept\$3 near3 request\$3) and (modif\$3 near3	USPAT;	2004/06/07
	J-3	request\$3)	US-PGPUB	16:31
-	97	(intercept\$3 near3 request\$3) same (modif\$3 near3	USPAT;	2004/06/07
		request\$3)	US-PGPUB	16:22
-	24	(intercept\$3 near3 request\$3) and (modif\$3 near3 request\$3) and (object with identifier)	USPAT; US-PGPUB	2004/06/07 16:32
_	3	(command with identifier) and (modif\$3 near3 identifier) and	USPAT;	2004/06/08
		(intercept\$3 with request)	US-PGPUB	08:52
-	2	(command with identifier) and (modif\$3 near3 identifier) and	USPAT;	2004/06/08
		(intercept\$3 with command)	US-PGPUB	08:54
-	5	(modif\$3 near3 identifier) and (intercept\$3 with command)	USPAT; US-PGPUB	2004/06/08
1_	792	(modif\$3 near3 identifier)	USPAT;	09:06   2004/06/08
	/92	(modify) nearly identifier)	US-PGPUB	09:06
-	1	(modif\$3 near3 identifier) and (trap\$3 with command)	USPAT;	2004/06/08
		( 1)(A ) 1 (A ) 1 (A ) 1 (A )	US-PGPUB	09:07
-	24	(modif\$3 near3 identifier) and (trap\$3 withrequest\$3)	USPAT; US-PGPUB	2004/06/08
_	2	(modif\$3 near3 identifier) and (trap\$3 with request\$3)	USPAT;	2004/06/08
	_		US-PGPUB	09:08
-	1	6336175.pn. and trap	USPAT;	2004/06/08
	_		US-PGPUB	09:56
-	0	(filter near3 layer) same (modif\$3 with object with identifier)	USPAT; US-PGPUB	2004/06/08 09:57
_	1	(filter near3 layer) and (modif\$3 with object with identifier)	USPAT;	2004/06/08
			US-PGPUB	09:59
-	0	(filter near3 layer) same (intercept\$3) and (modif\$3 with	USPAT;	2004/06/08
		object with identifier) (filter pears lever) some (intercents)	US-PGPUB USPAT;	09:59
-	145	(filter near3 layer) same (intercept\$3)	USPAT; US-PGPUB	2004/06/08 10:00
-	7	(filter near3 layer) same (intercept\$3 with request\$3)	USPAT;	2004/06/08
			US-PGPUB	10:28
-	20	(modify\$3 with object with identifier) and (first near3	USPAT;	2004/06/08
		identifier) and (second near3 identifier)	US-PGPUB	10:32
-	204	(modify\$3 with identifier) and (first near3 identifier) and (second near3 identifier)	USPAT; US-PGPUB	2004/06/08 10:33
-	172	(modify\$3 with identifier) and (first near3 identifier) and	USPAT;	2004/06/08
	-,-	(second near3 identifier) and value	US-PGPUB	10:34
-	14	(modify\$3 with identifier) and (first near3 identifier) and	USPAT;	2004/06/08
	_	(second near3 identifier) and (intercept\$3 with request\$3)	US-PGPUB	10:34
-	1	6275853.pn. and identifier	USPAT; US-PGPUB	2004/06/08 11:03
_	1	6336175.pn. and compar\$3	USPAT;	2004/06/08
			US-PGPUB	12:33
-	182	(updat\$3 with identifier) and (intercept\$3 with request\$3)	USPAT;	2004/06/08
			US-PGPUB	12:34

[-	25	(updat\$3 near3 identifier) and (intercept\$3 near3 request\$3)	USPAT;	2004/06/08
			US-PGPUB	12:39
<b> </b> -	353	(updat\$3 near3 identifier) same request\$3	USPAT;	2004/06/08
			US-PGPUB	14:11
-	21	(updat\$3 near3 identifier) same request\$3 and snmp	USPAT;	2004/06/08
			US-PGPUB	13:36
-	1	6336175.pn. and compar\$3	USPAT;	2004/06/08
			US-PGPUB	13:36
-	0	(updat\$3 near3 identifier) same request\$3 same greater same	USPAT;	2004/06/08
		less	US-PGPUB	14:11
] -	3	(updat\$3 near3 identifier) same greater same less	USPAT;	2004/06/08
			US-PGPUB	14:12
-	510	(plurality with identifier) and (identifier with great\$2)	USPAT;	2004/06/08
			US-PGPUB	14:13